

DENTAL LABORATORY WORK AUTHORIZATION

(Please Fill Out Completely)

FROM _____

DATE SENT _____ Tel No. _____

Address _____ Contact: _____

License No. and State _____

PATIENT _____ Dr.: _____

ACCT. BOX/PAN INVENTORY	OUR PAN# _____	
_____ IMPRESSION	_____ ARTIC	CHECK SENT: _____
_____ MODELS	_____ BITE	\$ _____
_____ CROWNS	_____ OLD FRAME	
_____ ATTACHMENTS	_____ TEETH	_____ MATRIX

These boxes must be filled in or full charges will be applied

Design Only

Upper Framework

Lower Framework

Duplicate Model

MAJOR CONNECTOR:

- Horseshoe
- Full Palate
- Palatal Strap
- A-P Strap (circular H.S.)
- Lingual Bar
- Lingual Plate
- Embedded bar strength
- Embedded mesh strength
- Bite Rims Yes No

CLASPING:



- Bertram Choice
 - RPI (I Bar)
 - Akers (C Clasp)
 - Roach (T Bars)
 - Clear
 - Tooth Colored Shade _____
 - Pink Duralflex Shade _____
- | Facings/Tube Teeth/Denture Teeth | | |
|----------------------------------|--------------------------|-------------|
| Facing | <input type="checkbox"/> | SHADE GUIDE |
| Tube Teeth | <input type="checkbox"/> | USED: _____ |
- Chrome Cobalt Alloy
 - Gold

FLEXI CLASP:

- OK to change clasp type? Yes No
- OK to change major connector? Yes No
- OK to relieve opposing? Yes No

IF IMMEDIATE CASE, DO WE EXTRACT TEETH NOW? Yes No

Failure to mark the above boxes will result in the assumption changes may be made.



Please check boxes above

TERMS: Payment for all work done is due in full no later than 30 days after the statement date. Payments not received when due will be charged a 1.5% (18% per annum) finance charge. Accounts late beyond 45 days will be put on a C.O.D. basis and incur an additional S&H fee. We reserve the right to charge your credit card for any outstanding balance due. Rev 9/17

Signature _____

DATE TO BE RETURNED _____

Use reverse side for additional instructions

BERTRAM DENTAL LAB REMAKE/RECAST POLICY:

1. A minimum recast charge of 40% of original frame charge if the frame fits the model but not the mouth.
2. Full charges may be applied if old frame and model are not returned or if there is a design change.
3. A full price charge on any case made on a model rejected by Bertram Dental Lab but made per doctors or lab request.
4. No guarantee on attachment cases where the attachment teeth are made from stone material. We prefer stone models with the actual crowns mounted.